

Name of Subject: Mathematics

Q. Nos	Paper Code	Correct Answer	Paper Code	Correct Answer	Paper Code	Correct Answer	Paper Code	Correct Answer
1	4191	D	4193	A	4195	C	4197	D
2		$+\infty$		Lagrange		2		$90^\circ$
3		odd function		$\ln \sec x  + c$		2		Right
4		critical value		$\ln(x \sin^2 x) + c$		$m_1 = m_2$		Major axis
5		$e^x$		$\frac{e^{2x}}{2} + c$		$2x - 3 > 0$		$\vec{F} \cdot \vec{d}$
6		$a^x \ln a$		1		$(-1, -2)$		$-\vec{b} \times \vec{a}$
7		Lagrange		2		$90^\circ$		$+\infty$
8		$\ln \sec x  + c$		2		Right		odd function
9		$\ln(x \sin^2 x) + c$		$m_1 = m_2$		Major axis		critical value
10		$\frac{e^{2x}}{2} + c$		$2x - 3 > 0$		$\vec{F} \cdot \vec{d}$		$e^x$
11		1		$(-1, -2)$		$-\vec{b} \times \vec{a}$		$a^x \ln a$
12		2		$90^\circ$		$+\infty$		Lagrange
13		2		Right		odd function		$\ln \sec x  + c$
14		$m_1 = m_2$		Major axis		critical value		$\ln(x \sin^2 x) + c$
15		$2x - 3 > 0$		$\vec{F} \cdot \vec{d}$		$e^x$		$\frac{e^{2x}}{2} + c$
16		$(-1, -2)$		$-\vec{b} \times \vec{a}$		$a^x \ln a$		1
17		$90^\circ$		$+\infty$		Lagrange		2
18		Right		odd function		$\ln \sec x  + c$		2
19		Major axis		critical value		$\ln(x \sin^2 x) + c$		$m_1 = m_2$
20		$\vec{F} \cdot \vec{d}$		$e^x$		$\frac{e^{2x}}{2} + c$		$2x - 3 > 0$
		$-\vec{b} \times \vec{a}$		$a^x \ln a$		1		$(-1, -2)$

سرٹیفکیٹ شدہ ایبٹ سولہ پرچہ ایماٹنگ Key

ہم نے سب سے پہلے ریاضی پرچہ 2nd اور 1st پرچہ کے Syllabus کے تین مطابق Set کیا ہے۔ اس سوالیہ پرچہ میں کسی قسم کی کوئی غلطی نہیں ہے۔ ہم نے سوالیہ پرچہ کا اردو اور انگریزی کی Version بھی چیک کر لیا ہے۔ یہ Version آپس میں مطابقت رکھتے ہیں۔ نیز اس پرچہ کی معروضی (MCQs) Key کی بابت تعین کی جاتی ہے کہ اس میں بھی کسی قسم کی کوئی غلطی نہیں ہے۔ مزید یہ کہ ہم نے Key بنانے سے متعلق وقت کی جانب سے تیار کردہ ہدایات قبول کر کے ان کا غور مطالعہ کیا ہے اور ان کی روشنی میں Key بنائی ہے۔ نیز سب سے پہلے ایبٹ سولہ پرچہ کے ہدایات اور ماہانہ نمبر Rubrics بھی تیار کر دی گئی ہیں۔

Prepared & Checked By:

Dated: 29-05-23

S.#	Name	Designation	Institution	Mobile No	Signature
1	Nighat Yasmin	A.P	Govt. graduate college (w)	0331 7039487	<i>[Signature]</i>
2	M. Adnan Anwar	A.P	Chungi no. 18 Multan Emerson University Multan	0304 7060319	<i>[Signature]</i>
3	Kahig M-1831443	A.P	11 11 11 11	0300 7331974	<i>[Signature]</i>
4	Dr. Abdul Muced	A.P	" " "	0321-6319672	<i>[Signature]</i>
5					

Re-Checked By: ہم نے دوبارہ اس سوالیہ پرچہ (انٹائیو معروضی) اور ہدایات کے حوالے سے مکمل طور پر چکی کر لی ہے۔ کسی قسم کی کوئی غلطی نہیں ہے۔

1	Khurram Shahzad	A.P	Govt Graduate College Civil Lines Multan	0321 6343022	<i>[Signature]</i>
2	Prof. Dr. Zafar Iqbal	Prof.	Principal, Govt. Graduate College of Science, Mult	0300-6900433	<i>[Signature]</i>
3					

Rechecked

OBJECTIVE KEY FOR BOARD OF INTERMEDIATE AND SECONDARY EDUCATION, MULTAN.  
INTERMEDIATE 1st ANNUAL EXAMINATION, 2023

Name of Subject: Mathematics (2nd Year)

Group: II

Q. Nos	Paper Code	Correct Answer	Paper Code	Correct Answer	Paper Code	Correct Answer	Paper Code	Correct Answer
1	4192	B	4194	D	4196	A	4198	B
2		0		8		0		0
3		odd function		(-1, 2)		5/3		0
4		$1 - \frac{1}{x^2}$		8		Centroid		$3x^2 dx$
5		$\frac{1}{\sqrt{x+1}}$		Meaningless		$x+y > 0$		$-\int_0^a f(x) dx$
6		1		1		Co-vertices		$\ln f(x) + c$
7		0		0		8		0
8		0		odd function		(-1, 2)		5/3
9		$3x^2 dx$		$1 - \frac{1}{x^2}$		8		Centroid
10		$-\int_0^a f(x) dx$		$\frac{1}{\sqrt{x+1}}$		Meaningless		$x+y > 0$
11		$\ln f(x) + c$		1		1		Co-vertices
12		0		0		0		0
13		5/3		0		0		0
14		Centroid		odd function		(-1, 2)		5/3
15		$3x^2 dx$		$1 - \frac{1}{x^2}$		8		Centroid
16		$x+y > 0$		$-\int_0^a f(x) dx$		$\frac{1}{\sqrt{x+1}}$		Meaningless
17		Co-vertices		$\ln f(x) + c$		1		1
18		8		0		0		0
19		(-1, 2)		5/3		0		0
20		8		Centroid		$3x^2 dx$		$1 - \frac{1}{x^2}$
21		Meaningless		$x+y > 0$		$-\int_0^a f(x) dx$		$\frac{1}{\sqrt{x+1}}$
22		1		Co-vertices		$\ln f(x) + c$		1

برقیہ کیلئے ریاضی کے سوال پر جواب دینا

ہم نے مشورہ سے Maths پرچہ 2nd گروپ II انٹرمیڈیٹ پیرا سالانہ امتحان 2023 کے سوالیہ پرچہ (Subjective & Objective) کو نظر پیش کیا ہے۔ یہ پرچہ Syllabus کے عین مطابق Set کیا گیا ہے۔ اس سوالیہ پرچہ میں کسی قسم کی غلطی نہ ہے۔ ہم نے سوالیہ پرچہ اردو اور انگریزی Version بھی چیک کر لیا ہے۔ یہ Version آپس میں مطابقت رکھتے ہیں۔ نیز اس پرچہ کی سرکاری Key (MCQs) کی جانچ کر لی گئی ہے۔ ہمیں یقین ہے کہ ہم نے Key بنانے سے متعلق ہر ایک جانب سے تیار کردہ ہدایات حاصل کر کے ان کو غور سے دیکھا ہے اور ان کی سرکاری Key کے ساتھ اس پرچہ کی ہر ایک قسم کی ہدایات اور Rubrics بھی تیار کر دی گئی ہیں۔

Prepared & Checked By:

Dated: 29-05-2023

S.#	Name	Designation	Institution	Mobile No	Signature
1	Highat Yasmin	Asst. A.P	Govt. Graduate College (W)	03327039467	Highat
2			Chargi no. 14, Multan		
3	M. Adnan Anwar	Assistant Professor	Emerson University, Multan	03047060319	Adnan
4	Hafiz M. IRSMAD	A.P	Emerson University, Multan	03007331774	Hafiz
5	Dr. Abdul Mueed	A.P	Emerson University, Multan	0321-6319672	Dr. Mueed

Re-Checked By: ہم نے اس سوالیہ پرچہ (Subjective & Objective) کی سرکاری Key اور ہدایات کے ساتھ اس پرچہ کی ہر ایک قسم کی ہدایات اور Rubrics بھی تیار کر دی گئی ہیں۔

S.#	Name	Designation	Institution	Mobile No	Signature
1	Khurram Shahzad	A.P	Govt. Graduate College	03216343022	Khurram
2	Prof. Dr. Zafar Iqbal	Prof.	Principal Govt. Graduate College of Science, Multan	0300-6900439	Zafar
3					

Rechecked by: Dr. Mueed

30-5-2023

## MATHEMATICS PAPER-II GROUP-I

TIME ALLOWED: 2.30 Hours

SUBJECTIVE

MAXIMUM MARKS: 80

NOTE: Write same question number and its parts number on answer book, as given in the question paper.

## SECTION-I

## 2. Attempt any eight parts.

8 × 2 = 16

(i)	What is a function?	(ii)	Prove the identity $\cosh^2 x - \sinh^2 x = 1$
(iii)	Given that $f(x) = x^3 - 2x^2 + 4x - 1$ find $f\left(\frac{1}{x}\right)$	(iv)	Differentiate w.r.t. $x \left(\sqrt{x} - \frac{1}{\sqrt{x}}\right)^2$
(v)	Find $\frac{dy}{dx}$ if $\sqrt{x+\sqrt{x}}$	(vi)	Find $\frac{dy}{dx}$ if $y = x \cos y$
(vii)	Differentiate $y = e^{f(x)}$ w.r.t. $x$	(viii)	Differentiate $\sin x$ w.r.t. $\cot x$
(ix)	Find $y_4$ if $y = \sin 3x$	(x)	What is a stationary point?
(xi)	Define problem constraint.	(xii)	Define feasible region and feasible solution.

## 3. Attempt any eight parts.

8 × 2 = 16

(i)	Find $\delta y$ and $dy$ , if $y = x^2 - 1$ , when $x$ changes from 3 to 3.02.	(ii)	Evaluate $\int \sin(a+b)x dx$
(iii)	Evaluate $\int \frac{-2x}{\sqrt{4-x^2}} dx$	(iv)	Evaluate $\int x \ln x dx$
(v)	Evaluate $\int_1^2 (x^2 + 1) dx$	(vi)	Find the area between the $x$ -axis and the curve $y = \sin 2x$ from $x = 0$ to $x = \frac{\pi}{3}$
(vii)	Solve $\frac{dy}{dx} = -y$	(viii)	Find the unit vector of $\underline{v} = 2\underline{i} - \underline{j}$
(ix)	Write direction cosines of $\underline{v} = 4\underline{i} - 5\underline{j}$	(x)	Find the cosine of the angle $\theta$ between $\underline{u}$ and $\underline{v}$ , $\underline{u} = [2, -3, 1]$ , $\underline{v} = [2, 4, 1]$
(xi)	Prove that $\underline{a} \times (\underline{b} + \underline{c}) - \underline{b} \times (\underline{c} + \underline{a}) + \underline{c} \times (\underline{a} + \underline{b}) = 0$	(xii)	Find the volume of the parallelepiped for which the given vectors are $\underline{u} = \underline{i} - 4\underline{j} - \underline{k}$ ; $\underline{v} = \underline{i} - \underline{j} - 2\underline{k}$ ; $\underline{w} = 2\underline{i} - 3\underline{j} - \underline{k}$

## 4. Attempt any nine parts.

9 × 2 = 18

(i)	Find $h$ such that $A(-1, h)$ , $B(3, 2)$ and $C(7, 3)$ are collinear.
(ii)	The $xy$ -coordinate axes are rotated about the origin through an angle of $30^\circ$ . If the $xy$ -coordinates of a point are $(5, 7)$ , find its $XY$ -coordinates, where $OX$ and $OY$ are the axes obtained after rotation.
(iii)	Find the distance between the parallel lines $2x + y + 2 = 0$ and $6x + 3y - 8 = 0$
(iv)	Check whether the point $(-2, 4)$ lies above or below the line $4x + 5y - 3 = 0$
(v)	Find the area of the region bounded by the triangle with vertices $(a, b+c)$ , $(a, b-c)$ and $(-a, c)$
(vi)	By means of slopes, show that the following points lie on the same line $(-4, 6)$ , $(3, 8)$ , $(10, 10)$
(vii)	Find an equation of the line bisecting the first and third quadrants.
(viii)	Find the centre and radius of the circle with the equation $4x^2 + 4y^2 - 8x + 12y - 25 = 0$
(ix)	Find the length of the tangent from the point $P(-5, 10)$ to the circle $5x^2 + 5y^2 + 14x + 12y - 10 = 0$
(x)	Write an equation of the parabola with given elements focus $(-3, 1)$ , directrix $x - 2y - 3 = 0$
(xi)	Find an equation of the ellipse with vertices $(0, \pm 5)$ and eccentricity $\frac{3}{5}$ .
(xii)	Find an equation of the hyperbola with the given data. Foci $(2 \pm 5\sqrt{2}, -7)$ and length of transverse axis 10.
(xiii)	Find an equation of the circle with ends of diameter at $(-3, 2)$ and $(5, -6)$

## SECTION-II

## NOTE: Attempt any three questions.

3 × 10 = 30

5.(a)	Evaluate $\lim_{\theta \rightarrow 0} \frac{\tan \theta - \sin \theta}{\sin^3 \theta}$	(b)	If $x = a \cos^3 \theta$ , $y = b \sin^3 \theta$ then show that $a \frac{dy}{dx} + b \tan \theta = 0$
6.(a)	Evaluate $\int \frac{dx}{\sqrt{7-6x-x^2}}$	(b)	Find the equation of perpendicular bisector of the segment joining the points $A(3, 5)$ and $B(9, 8)$
7.(a)	Evaluate $\int_{\frac{\pi}{6}}^{\frac{\pi}{4}} \cos^2 \theta \cot^2 \theta d\theta$	(b)	Maximize $f(x, y) = 2x + 3y$ subject to constraints $2x + y \leq 8$ , $x + 2y \leq 14$ , $x \geq 0$ , $y \geq 0$
8.(a)	If $y = a \cos(\ln x) + b \sin(\ln x)$ , prove that $x^3 \frac{d^2 y}{dx^2} + x \frac{dy}{dx} + y = 0$	(b)	Find the length of the chord cut from the line $2x + 3y = 13$ by the circle $x^2 + y^2 = 26$
9.(a)	Show that an equation of the parabola with focus at $(a \cos \alpha, a \sin \alpha)$ and directrix $x \cos \alpha + y \sin \alpha + a = 0$ is $(x \sin \alpha - y \cos \alpha)^2 = 4a(x \cos \alpha + y \sin \alpha)$	(b)	Prove that the line segment joining mid points of two sides of a triangle is parallel to third side and half as long.

INTERMEDIATE PART-II (12 <sup>th</sup> Class)	2023 (1 <sup>st</sup> -A)	Roll No: <u>96</u>
MATHEMATICS PAPER-II GROUP-II		
TIME ALLOWED: 2.30 Hours	SUBJECTIVE	MAXIMUM MARKS: 80
NOTE: Write same question number and its parts number on answer book, as given in the question paper.		

## SECTION-I

2. Attempt any eight parts.		8 × 2 = 16
(i) Define a polynomial function of degree $n$ .	(ii) Determine whether given function $f$ is even or odd $f(x) = x^{\frac{3}{2}} + 6$	
(iii) Evaluate $\lim_{n \rightarrow \infty} \left(1 + \frac{3}{n}\right)^{2n}$	(iv) Find the derivative of $x^{\frac{3}{2}}$ and also calculate the value of derivative at $x = 8$ .	
(v) Differentiate w.r.t. $x$ $x^{-2} + 2x^{-\frac{3}{2}} + 3$	(vi) Find $\frac{dy}{dx}$ if $xy + y^2 = 2$	
(vii) Find $\frac{dy}{dx}$ if $x = y \sin y$	(viii) Differentiate w.r.t. $x$ $x^3 \sec 4x$	
(ix) Find $\frac{dy}{dx}$ if $y = e^{x^2+1}$	(x) State Maclaurin's series expansion.	
(xi) Define optimal solution.	(xii) Define the associated emotion of an inequality.	

3. Attempt any eight parts.		8 × 2 = 16
(i) Find $\delta y$ and $dy$ for $y = x^2 - 1$ , when $x$ changes from 3 to 3.02.	(ii) Evaluate $\int \left(\sqrt{x} - \frac{1}{\sqrt{x}}\right)^2 dx$	
(iii) Evaluate $\int \frac{x^2}{4+x^2} dx$	(iv) Evaluate $\int x^2 \ln x dx$	
(v) Evaluate $\int_{-1}^1 (x^3 + 1) dx$	(vi) Find the area between the $x$ -axis and the curve $y = 4x - x^2$	
(vii) Solve the differential equation $\frac{dy}{dx} = \frac{y}{x^2}$	(viii) Find unit vector in the direction of $\underline{v} = 2\underline{i} - \underline{j}$	
(ix) Find vector whose magnitude is 4 and is parallel to $2\underline{i} - 3\underline{j} + 6\underline{k}$	(x) Calculate the projection of $\underline{a} = \underline{i} - \underline{k}$ along $\underline{b} = \underline{j} + \underline{k}$	
(xi) Find a unit vector perpendicular to the plane containing $\underline{a}$ and $\underline{b}$ , $\underline{a} = \underline{i} + \underline{j}$ , $\underline{b} = \underline{i} - \underline{j}$	(xii) Prove that $\underline{i} - 2\underline{j} + 3\underline{k}$ , $-2\underline{i} + 3\underline{j} - 4\underline{k}$ and $\underline{i} - 3\underline{j} + 5\underline{k}$ are coplanar.	

4. Attempt any nine parts.		9 × 2 = 18
(i) Show that the points $A(3, 1)$ , $B(-2, -3)$ and $C(2, 2)$ are vertices of an isosceles triangle.		
(ii) Show that the points $A(-3, 6)$ , $B(3, 2)$ and $C(6, 0)$ are collinear.		
(iii) Find an equation of the straight line if it is perpendicular to a line with slope $-6$ and its $y$ -intercept is $\frac{4}{3}$ .		
(iv) Write down an equation of the line which cuts the $x$ -axis at $(2, 0)$ and $y$ -axis at $(0, -4)$ .		
(v) Transform the equation $5x - 12y + 39 = 0$ into two-intercept form.		
(vi) Check whether the lines $3x - 4y - 3 = 0$ , $5x + 12y + 1 = 0$ , $32x + 4y - 17 = 0$ are concurrent or not.		
(vii) Find the distance between the parallel lines $l_1: 2x - 5y + 13 = 0$ and $l_2: 2x - 5y + 6 = 0$		
(viii) Find the centre and radius of the circle with the equation $5x^2 + 5y^2 + 14x + 12y - 10 = 0$		
(ix) Find the co-ordinates of the points of intersection of the line $2x + y = 5$ and the circle $x^2 + y^2 + 2x - 9 = 0$		
(x) Write equations of the tangents to the circle $x^2 + y^2 - 4x + 6y + 9 = 0$ at the points on the circle whose ordinate is $-2$ .		
(xi) Find an equation of the parabola whose focus is $F(-3, 4)$ and directrix is $3x - 4y + 5 = 0$		
(xii) Find an equation of the ellipse having centre at $(0, 0)$ , focus at $(0, -3)$ and one vertex at $(0, 4)$ .		
(xiii) Find an equation of hyperbola whose foci are $(\pm 4, 0)$ and vertices $(\pm 2, 0)$ .		

## SECTION-II

NOTE: Attempt any three questions.		3 × 10 = 30
5.(a) Prove that $\lim_{x \rightarrow 0} \frac{a^x - 1}{x} = \log_e a$	(b) Find by definition the derivative of $\cos \sqrt{x}$ .	
6.(a) Evaluate $\int \frac{x dx}{x^4 + 2x^2 + 5}$	(b) Find equations of two parallel lines perpendicular to $2x - y + 3 = 0$ such that product of $x$ - and $y$ -intercepts of each is 3.	
7.(a) Find the area bounded by the curve $y = x^3 - 4x$ and the $x$ -axis.		
(b) Maximize $f(x, y) = x + 3y$ subject to constraints $2x + 5y \leq 30$ , $5x + 4y \leq 20$ , $x \geq 0$ , $y \geq 0$		
8.(a) Show that $y = x^e$ has minimum value at $x = \frac{1}{e}$		
(b) Find the equation of the circle passing through the points $A(4, 5)$ , $B(-4, -3)$ , $C(8, -3)$		
9.(a) Find the focus, vertex and directrix of parabola $x^2 - 4x - 8y + 4 = 0$		
(b) Prove that by using vectors method $\cos(\alpha - \beta) = \cos \alpha \cos \beta + \sin \alpha \sin \beta$		

Paper Code Number: <b>4191</b>		2023 (1 <sup>st</sup> -A) INTERMEDIATE PART-II (12 <sup>th</sup> Class)		Roll No: <u>                    </u>	
MATHEMATICS PAPER-II GROUP-I					
TIME ALLOWED: 30 Minutes		OBJECTIVE		MAXIMUM MARKS: 20	
Q.No.1 You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that bubble in front of that question number, on bubble sheet. Use marker or pen to fill the bubbles. Cutting or filling two or more bubbles will result in zero mark in that question.					
S.#	QUESTIONS	A	B	C	D
1	$\lim_{x \rightarrow -\infty} (e^x) =$	$-\infty$	0	1	$+\infty$
2	$f(x) = x$ is a/an:	Odd function	Even function	Neither even nor odd	Constant function
3	If $C \in D_f$ and $f'(C)=0$ or $f'(C)$ does not exist, then the number $C$ is called:	Increasing value	Decreasing value	Stationary value	Critical value
4	$1 + x + \frac{x^2}{ 2 } + \frac{x^3}{ 3 } + \dots =$	$\sin x$	$\cos x$	$e^x$	$e^{2x}$
5	$\frac{d}{dx}(a^x) =$	$a^x$	$a^x \cdot \ln a$	$\frac{a^x}{\ln a}$	$\frac{\ln a}{a^x}$
6	The notation $f'(x)$ is used by the mathematician:	Lagrange	Newton	Cauchy	Leibniz
7	$\int \tan x dx =$	$\ln  \sin x  + c$	$\ln  \cos x  + c$	$\ln  \sec x  + c$	$\ln  \tan x  + c$
8	$\int \left( \frac{1}{x} + \frac{\sin 2x}{\sin^2 x} \right) dx =$	$\ln  \sin 2x  + c$	$\ln  (x \sin^2 x)  + c$	$\ln (x \cos^2 x) + c$	$\ln (x \sin 2x) + c$
9	$\int e^{2x} dx =$	$2e^{2x} + c$	$e^{2x} + c$	$\frac{e^{2x}}{2} + c$	$\frac{e^{2x}}{2} - c$
10	$\int_0^{\pi/2} \cos x dx =$	0	1	2	3
11	Slope of line perpendicular to the line $x + 2y + 3 = 0$ is:	$-\frac{1}{2}$	$\frac{1}{2}$	$-\frac{2}{1}$	$\frac{3}{2}$
12	Distance of the point $(3, 2)$ from $x$ -axis is:	2	3	5	6
13	The lines $\ell_1, \ell_2$ with slopes $m_1$ and $m_2$ are parallel if:	$m_1 + m_2 = 0$	$m_1 m_2 = 1$	$m_1 m_2 = -1$	$m_1 = m_2$
14	$x = 5$ is the solution of inequality:	$2x + 3 < 0$	$2x - 3 > 0$	$x + 1 < 0$	$x < 0$
15	The centre of the circle $(x + 1)^2 + (y + 2)^2 = 16$ is:	$(1, 2)$	$(-1, 2)$	$(-1, -2)$	$(1, -2)$
16	An angle in semi-circle is of measure:	$30^\circ$	$45^\circ$	$60^\circ$	$90^\circ$
17	The parabola $y^2 = 4ax; a > 0$ opens towards:	Left	Right	Upward	Downward
18	In an ellipse, the foci lie on:	Major axis	Minor axis	Directrices	Centre
19	Work done by a constant force $\vec{F}$ during displacement $\vec{d}$ is equal to	$\vec{F} \times \vec{d}$	$\vec{F} \cdot \vec{d}$	$\vec{F} \cdot \vec{d}$	$\vec{d} \times \vec{F}$
20	If $\vec{a}$ and $\vec{b}$ are two non-zero vectors, then $\vec{a} \times \vec{b} =$	$ab$	$\vec{a} \cdot \vec{b}$	$\vec{b} \times \vec{a}$	$-\vec{b} \times \vec{a}$

Paper Code Number: 4193		2023 (1 <sup>st</sup> -A) INTERMEDIATE PART-II (12 <sup>th</sup> Class)		Roll No: <span style="border: 1px solid black; border-radius: 50%; padding: 2px 5px;">91</span>	
MATHEMATICS PAPER-II GROUP-I					
TIME ALLOWED: 30 Minutes		OBJECTIVE		MAXIMUM MARKS: 20	
Q.No.1 You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that bubble in front of that question number, on bubble sheet. Use marker or pen to fill the bubbles. Cutting or filling two or more bubbles will result in zero mark in that question.					
S.#	QUESTIONS	A	B	C	D
1	The notation $f'(x)$ is used by the mathematician:	Lagrange	Newton	Cauchy	Leibniz
2	$\int \tan x \, dx =$	$\ln  \sin x  + c$	$\ln  \cos x  + c$	$\ln  \sec x  + c$	$\ln  \tan x  + c$
3	$\int \left( \frac{1}{x} + \frac{\sin 2x}{\sin^2 x} \right) dx =$	$\ln \sin 2x + c$	$\ln(x \sin^2 x) + c$	$\ln(x \cos^2 x) + c$	$\ln(x \sin 2x) + c$
4	$\int e^{2x} \, dx =$	$2e^{2x} - c$	$e^{2x} - c$	$2xe^{2x} + c$	$\frac{e^{2x}}{2} + c$
5	$\int_0^{\pi/2} \cos x \, dx =$	0	1	2	3
6	Slope of line perpendicular to the line $x + 2y + 3 = 0$ is:	$-\frac{1}{2}$	$\frac{1}{2}$	$-\frac{3}{2}$	$\frac{3}{2}$
7	Distance of the point (3, 2) from $x$ -axis is:	2	3	5	6
8	The lines $\ell_1, \ell_2$ with slopes $m_1$ and $m_2$ are parallel if:	$m_1 + m_2 = 0$	$m_1 m_2 = 1$	$m_1 m_2 = -1$	$m_1 = m_2$
9	$x = 5$ is the solution of inequality:	$2x + 3 < 0$	$2x - 3 > 0$	$2x - 1 < 0$	$x < 0$
10	The centre of the circle $(x+1)^2 + (y+2)^2 = 16$ is:	(1, 2)	(-1, 2)	(-1, -2)	(1, -2)
11	An angle in semi-circle is of measure:	$30^\circ$	$45^\circ$	$60^\circ$	$90^\circ$
12	The parabola $y^2 = 4ax, a > 0$ opens towards:	Left	Right	Upward	Downward
13	In an ellipse, the foci lie on:	Major axis	Minor axis	Directrices	Centre
14	Work done by a constant force $\vec{F}$ during displacement $\vec{d}$ is equal to	$\vec{F} \times \vec{d}$	$\vec{F} \cdot \vec{d}$	$\vec{F} \cdot d$	$\vec{d} \times \vec{F}$
15	If $\vec{a}$ and $\vec{b}$ are two non-zero vectors, then $\vec{a} \times \vec{b} =$	$ab$	$\vec{a} \cdot \vec{b}$	$\vec{b} \times \vec{a}$	$-\vec{b} \times \vec{a}$
16	$\lim_{x \rightarrow +\infty} (e^x) =$	$-\infty$	0	1	$+\infty$
17	$f(x) = x$ is a/an:	Odd function	Even function	Neither even nor odd	Constant function
18	If $C \in D_f$ and $f'(C)=0$ or $f'(C)$ does not exist, then the number $C$ is called:	Increasing value	Decreasing value	Stationary value	Critical value
19	$1 + x + \frac{x^2}{ 2 } + \frac{x^3}{ 3 } + \dots =$	$\sin x$	$\cos x$	$e^x$	$e^{2x}$
20	$\frac{d}{dx} (a^x) =$	$a^x$	$a^x \cdot \ln a$	$\frac{a^x}{\ln a}$	$\frac{\ln a}{a^x}$

92

Paper Code Number: 4195		2023 (1 <sup>st</sup> -A) INTERMEDIATE PART-II (12 <sup>th</sup> Class)		Roll No: _____	
MATHEMATICS PAPER-II GROUP-I					
TIME ALLOWED: 30 Minutes			OBJECTIVE		MAXIMUM MARKS: 20
Q.No.1 You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that bubble in front of that question number, on bubble sheet. Use marker or pen to fill the bubbles. Cutting or filling two or more bubbles will result in zero mark in that question.					
S.#	QUESTIONS	A	B	C	D
1	Slope of line perpendicular to the line $x + 2y + 3 = 0$ is:	$-\frac{1}{2}$	$\frac{1}{2}$	<del><math>-\frac{2}{1}</math></del>	$\frac{3}{2}$
2	Distance of the point $(3, 2)$ from $x$ -axis is:	2	3	5	6
3	The lines $\ell_1, \ell_2$ with slopes $m_1$ and $m_2$ are parallel if:	$m_1 + m_2 = 0$	$m_1 m_2 = 1$	$m_1 m_2 = -1$	$m_1 = m_2$
4	$x = 5$ is the solution of inequality:	$2x + 3 < 0$	$2x - 3 > 0$	$x + 1 < 0$	$x < 0$
5	The centre of the circle $(x + 1)^2 + (y + 2)^2 = 16$ is:	$(1, 2)$	$(-1, 2)$	$(-1, -2)$	$(1, -2)$
6	An angle in semi-circle is of measure:	$30^\circ$	$45^\circ$	<del><math>60^\circ</math></del>	$90^\circ$
7	The parabola $y^2 = 4ax; a > 0$ opens towards:	Left	Right	Upward	Downward
8	In an ellipse, the foci lie on:	Major axis	Minor axis	Directrices	Centre
9	Work done by a constant force $\vec{F}$ during displacement $\vec{d}$ is equal to	$\vec{F} \times \vec{d}$	$\vec{F} \cdot \vec{d}$	<del><math>\vec{F} \cdot \vec{d}</math></del>	$\vec{d} \times \vec{F}$
10	If $\vec{a}$ and $\vec{b}$ are two non-zero vectors, then $\vec{a} \times \vec{b} =$	$\vec{a} \cdot \vec{b}$	$\vec{a} \cdot \vec{b}$	$\vec{b} \times \vec{a}$	$-\vec{b} \times \vec{a}$
11	$\lim_{x \rightarrow +\infty} (e^x) =$	$-\infty$	0	1	$+\infty$
12	$f(x) = x$ is a/an:	Odd function	Even function	Neither even nor odd	Constant function
13	If $C \in D_f$ and $f'(C) = 0$ or $f'(C)$ does not exist, then the number $C$ is called	Increasing value	Decreasing value	Stationary value	Critical value
14	$1 + x + \frac{x^2}{2} + \frac{x^3}{3} + \dots$	$\sin x$	$\cos x$	$e^x$	$e^{2x}$
15	$\frac{d}{dx}(a^x) =$	$a^x$	$a^x \cdot \ln a$	<del><math>\frac{a^x}{\ln a}</math></del>	$\frac{\ln a}{a^x}$
16	The notation $f'(x)$ is used by the mathematician:	Lagrange	Newton	Cauchy	Leibniz
17	$\int \tan x \, dx =$	$\ln  \sin x  + c$	$\ln  \cos x  + c$	$\ln  \sec x  + c$	$\ln  \tan x  + c$
18	$\int \left( \frac{1}{x} + \frac{\sin 2x}{\sin^2 x} \right) dx =$	$\ln \sin 2x + c$	$\ln(x \sin^2 x) + c$	<del><math>\ln(x \cos^2 x) - c</math></del>	$\ln(x \sin 2x) + c$
19	$\int e^{2x} \, dx =$	$2e^{2x} + c$	$e^{2x} + c$	$2xe^{2x} + c$	$\frac{e^{2x}}{2} + c$
20	$\int_0^{\pi/2} \cos x \, dx =$	0	1	2	3

Paper Code Number: 4197		2023 (1 <sup>st</sup> -A) INTERMEDIATE PART-II (12 <sup>th</sup> Class)		Roll No: _____	
MATHEMATICS PAPER-II GROUP-I					
TIME ALLOWED: 30 Minutes		OBJECTIVE		MAXIMUM MARKS: 20	
Q.No.1 You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that bubble in front of that question number, on bubble sheet. Use marker or pen to fill the bubbles. Cutting or filling two or more bubbles will result in zero mark in that question.					
S.#	QUESTIONS	A	B	C	D
1	An angle in semi-circle is of measure:	30°	45°	60°	90°
2	The parabola $y^2 = 4ax$ ; $a > 0$ opens towards:	Left	Right	Upward	Downward
3	In an ellipse, the foci lie on:	Major axis	Minor axis	Directrices	Centre
4	Work done by a constant force $\vec{F}$ during displacement $\vec{d}$ is equal to	$\vec{F} \times \vec{d}$	$\vec{F} \cdot \vec{d}$	$\vec{F} \cdot \vec{d}$	$\vec{d} \times \vec{F}$
5	If $\vec{a}$ and $\vec{b}$ are two non-zero vectors, then $\vec{a} \times \vec{b} =$	$ab$	$\vec{a} \cdot \vec{b}$	$\vec{b} \times \vec{a}$	$-\vec{b} \times \vec{a}$
6	$\lim_{x \rightarrow +\infty} (e^x) =$	$-\infty$	0	1	$-\infty$
7	$f(x) = x$ is a/an:	Odd function	Even function	Neither even nor odd	Constant function
8	If $C \in D_f$ and $f'(C)=0$ or $f'(C)$ does not exist, then the number $C$ is called:	Increasing value	Decreasing value	Stationary value	Critical value
9	$1 + x + \frac{x^2}{2} + \frac{x^3}{3} + \dots =$	$\sin x$	$\cos x$	$e^x$	$e^{2x}$
10	$\frac{d}{dx}(a^x) =$	$a^x$	$a^x \ln a$	$a^x$	$\frac{\ln a}{a^x}$
11	The notation $f'(x)$ is used by the mathematician:	Lagrange	Newton	Cauchy	Leibniz
12	$\int \tan x dx =$	$\ln  \sin x  + c$	$\ln  \cos x  + c$	$\ln  \sec x  + c$	$\ln  \tan x  + c$
13	$\int \left( \frac{1}{x} + \frac{\sin 2x}{\sin^2 x} \right) dx =$	$\ln  \sin 2x  + c$	$\ln (x \sin^2 x) + c$	$\ln (x \cos^2 x) + c$	$\ln (x \sin 2x) + c$
14	$\int e^{2x} dx =$	$2e^{2x} + c$	$e^{2x} + c$	$2xe^{2x} + c$	$\frac{e^{2x}}{2} + c$
15	$\int_0^{\pi/2} \cos x dx =$	0	1	2	3
16	Slope of line perpendicular to the line $x + 2y + 3 = 0$ is:	$-\frac{1}{2}$	1	2	$\frac{3}{2}$
17	Distance of the point (3, 2) from $x$ -axis is:	2	3	5	6
18	The lines $\ell_1, \ell_2$ with slopes $m_1$ and $m_2$ are parallel if:	$m_1 + m_2 = 0$	$m_1 m_2 = 1$	$m_1 m_2 = -1$	$m_1 = m_2$
19	$x = 5$ is the solution of inequality:	$2x + 3 < 0$	$2x - 3 > 0$	$x + 1 < 0$	$x < 0$
20	The centre of the circle $(x + 1)^2 + (y + 2)^2 = 16$ is:	(1, 2)	(-1, 2)	(-1, -2)	(1, -2)



97

Paper Code Number: 4192	2023 (1 <sup>st</sup> -A) INTERMEDIATE PART-II (12 <sup>th</sup> Class)	Roll No: _____			
MATHEMATICS PAPER-II GROUP-II					
TIME ALLOWED: 30 Minutes		OBJECTIVE		MAXIMUM MARKS: 20	
Q.No.1 You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that bubble in front of that question number, on bubble sheet. Use marker or pen to fill the bubbles. Cutting or filling two or more bubbles will result in zero mark in that question.					
S.#	QUESTIONS	A	B	C	D
1	$\lim_{x \rightarrow \infty} (e^x) =$	$-\infty$	0	1	$+\infty$
2	$f(x) = \sin x$ is:	Odd function	Even function	Constant function	Linear function
3	If $y = x + \frac{1}{x}$ , then $\frac{dy}{dx} =$	$1 - \frac{1}{x}$	$\frac{1}{x} - 1$	$1 - \frac{1}{x^2}$	$\frac{1}{x^2} - 1$
4	If $y = \sinh^{-1} x$ , then $\frac{dy}{dx} =$	$\frac{1}{\sqrt{x^2 + 1}}$	$\frac{1}{\sqrt{x^2 - 1}}$	$\frac{-1}{\sqrt{x^2 + 1}}$	$\frac{-1}{\sqrt{x^2 - 1}}$
5	Derivative of $\cos x$ w.r.t. $\cos x$ is:	$-\sin x$	$\sin x$	0	1
6	The function $f(x) = 3x^2$ has minimum value at $x =$	-1	0	1	2
7	$\int_{-\pi}^{\pi} \sin x dx =$	0	1	2	3
8	If $y = x^3$ , then $dy =$	$3x^2 dx$	$x^2 dx$	$3x^2 dx$	$3x dx$
9	$\int_a^b f(x) dx =$	$\int_a^b f(x) dx$	$-\int_a^b f(x) dx$	$\int_{-a}^b f(x) dx$	$-\int_{-a}^{-b} f(x) dx$
10	$\int \frac{f'(x)}{f(x)} dx =$	$\ln f(x) + c$	$\ln f'(x) + c$	$\ln f(x)f'(x) + c$	$\ln x + c$
11	Slope of line which is perpendicular to $y$ -axis is	0	1	2	Undefined
12	$y$ -intercept of the line $2x + 3y - 5 = 0$ is	$\frac{2}{5}$	$\frac{5}{2}$	$\frac{3}{5}$	$\frac{5}{3}$
13	The point of intersection of medians of a triangle is called:	Incentre	Centroid	Circumcentre	Orthocenter
14	$(0, 1)$ is the solution of inequality	$x - 3y > 0$	$x - 5y > 0$	$x + y > 0$	$x < 0$
15	The end points of minor axis of the ellipse are called its:	Vertices	Co-vertices	Foci	Eccentricity
16	The length of latus rectum of parabola $y^2 = -8x$ is:	-8	-4	4	8
17	The vertex of the parabola $(x + 1)^2 = 8(y - 2)$ is:	$(-1, 2)$	$(1, -2)$	$(-1, -2)$	$(1, 2)$
18	The length of diameter of the circle $x^2 + y^2 = 16$ is:	4	6	8	16
19	$\vec{u} \times (\vec{v} \cdot \vec{w})$ is:	Scalar product	Vector product	Inner product	Meaningless
20	The value of $\begin{bmatrix} \hat{i} & \hat{j} & \hat{k} \end{bmatrix} =$	-1	0	1	2

98

Paper Code Number: 4194		2023 (1 <sup>st</sup> -A) INTERMEDIATE PART-II (12 <sup>th</sup> Class)		Roll No: _____	
MATHEMATICS PAPER-II GROUP-II					
TIME ALLOWED: 30 Minutes		OBJECTIVE		MAXIMUM MARKS: 20	
Q.No.1		You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that bubble in front of that question number, on bubble sheet. Use marker or pen to fill the bubbles. Cutting or filling two or more bubbles will result in zero mark in that question.			
S.#	QUESTIONS	A	B	C	D
1	The length of latus rectum of parabola $y^2 = -8x$ is:	-8	-4	4	8
2	The vertex of the parabola $(x+1)^2 = 8(y-2)$ is:	(-1, 2)	(1, -2)	(-1, -2)	(1, 2)
3	The length of diameter of the circle $x^2 + y^2 = 16$ is:	4	6	8	16
4	$\vec{u} \times (\vec{v} \cdot \vec{w})$ is:	Scalar product	Vector product	Inner product	Meaningless
5	The value of $[\hat{i} \ \hat{j} \ \hat{k}] =$	-1	0	1	2
6	$\lim_{x \rightarrow -\infty} (e^x) =$	$-\infty$	0	1	$+\infty$
7	$f(x) = \sin x$ is:	Odd function	Even function	Constant function	Linear function
8	If $y = x + \frac{1}{x}$ , then $\frac{dy}{dx} =$	$1 - \frac{1}{x^2}$	$\frac{1}{x} - 1$	$1 - \frac{1}{x^2}$	$\frac{1}{x^2} - 1$
9	If $y = \sinh^{-1} x$ , then $\frac{dy}{dx} =$	$\frac{1}{\sqrt{x^2+1}}$	$\frac{1}{\sqrt{x^2-1}}$	$\frac{-1}{\sqrt{x^2+1}}$	$\frac{-1}{\sqrt{x^2-1}}$
10	Derivative of $\cos x$ w.r.t. $\cos x$ is:	$-\sin x$	$\sin x$	0	1
11	The function $f(x) = 3x^2$ has minimum value at $x =$	-1	0	1	2
12	$\int_{\pi}^{\pi} \sin x \, dx =$	0	1	2	3
13	If $y = x^2$ , then $dy =$	$3x^2$	$x^2 dx$	$3x^2 dx$	$3x dx$
14	$\int_a^b f(x) \, dx =$	$\int_b^a f(x) \, dx$	$-\int_b^a f(x) \, dx$	$\int_{-a}^{-b} f(x) \, dx$	$-\int_{-a}^{-b} f(x) \, dx$
15	$\int \frac{f'(x)}{f(x)} \, dx =$	$\ln f(x) + c$	$\ln f'(x) + c$	$\ln f(x)f'(x) + c$	$\ln x + c$
16	Slope of line which is perpendicular to $y$ -axis is:	0	1	2	Undefined
17	$y$ -intercept of the line $2x + 3y - 5 = 0$ is:	$\frac{2}{5}$	$\frac{5}{2}$	$\frac{3}{5}$	$\frac{5}{3}$
18	The point of intersection of medians of a triangle is called:	Incentre	Centroid	Circumcentre	Orthocenter
19	(0, 1) is the solution of inequality:	$x - 3y > 0$	$x - 5y > 0$	$x + y > 0$	$x < 0$
20	The end points of minor axis of the ellipse are called its:	Vertices	Co-vertices	Foci	Eccentricity

99

Paper Code Number: 4196	2023 (1 <sup>st</sup> -A) INTERMEDIATE PART-II (12 <sup>th</sup> Class)	Roll No: _____			
MATHEMATICS PAPER-II GROUP-II					
TIME ALLOWED: 30 Minutes		OBJECTIVE		MAXIMUM MARKS: 20	
Q.No.1	You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that bubble in front of that question number, on bubble sheet. Use marker or pen to fill the bubbles. Cutting or filling two or more bubbles will result in zero mark in that question.				
S.#	QUESTIONS	A	B	C	D
1	Slope of line which is perpendicular to $y$ - axis is:	0	1	2	Undefined
2	$y$ - intercept of the line $2x + 3y - 5 = 0$ is:	$\frac{2}{5}$	$\frac{5}{2}$	$\frac{3}{5}$	$\frac{5}{3}$
3	The point of intersection of medians of a triangle is called:	Incentre	Centroid	Circumcentre	Orthocenter
4	$(0, 1)$ is the solution of inequality:	$x - 3y > 0$	$x - 5y > 0$	$x + y > 0$	$x < 0$
5	The end points of minor axis of the ellipse are called its:	Vertices	Co-vertices	Foci	Eccentricity
6	The length of latus rectum of parabola $y^2 = -8x$ is:	-8	-4	4	8
7	The vertex of the parabola $(x + 1)^2 = 8(y - 2)$ is:	$(-1, 2)$	$(1, -2)$	$(-1, -2)$	$(1, 2)$
8	The length of diameter of the circle $x^2 + y^2 = 16$ is:	4	6	8	16
9	$\vec{u} \times (\vec{v} \cdot \vec{w})$ is:	Scalar product	Vector product	Inner product	Meaningless
10	The value of $\left[ \begin{matrix} i & j & k \\ 1 & 2 & 3 \\ 4 & 5 & 6 \end{matrix} \right] =$	-1	0	1	2
11	$\lim_{x \rightarrow -\infty} (e^x) =$	$-\infty$	0	1	$+\infty$
12	$f(x) = \sin x$ is	Odd function	Even function	Constant function	Linear function
13	If $y = x + \frac{1}{x}$ , then $\frac{dy}{dx} =$	$1 - \frac{1}{x^2}$	$\frac{1}{x} - 1$	$1 - \frac{1}{x^2}$	$\frac{1}{x^2} - 1$
14	If $y = \sinh^{-1} x$ , then $\frac{dy}{dx} =$	$\frac{1}{\sqrt{x^2 + 1}}$	$\frac{1}{\sqrt{x^2 - 1}}$	$\frac{-1}{\sqrt{x^2 + 1}}$	$\frac{-1}{\sqrt{x^2 - 1}}$
15	Derivative of $\cos x$ w.r.t. $\cos x$ is:	$-\sin x$	$\sin x$	0	1
16	The function $f(x) = 3x^2$ has minimum value at $x =$	-1	0	1	2
17	$\int_a^{\pi} \sin x \, dx =$	0	1	2	3
18	If $y = x^3$ , then $dy =$	$3x^2$	$x^2 dx$	$3x^2 dx$	$3x dx$
19	$\int_a^b f(x) \, dx =$	$\int_b^a f(x) \, dx$	$-\int_b^a f(x) \, dx$	$\int_{-a}^{-b} f(x) \, dx$	$-\int_{-a}^{-b} f(x) \, dx$
20	$\int \frac{f'(x)}{f(x)} \, dx =$	$\ln f(x) + c$	$\ln f'(x) + c$	$\ln f(x)f'(x) + c$	$\ln x + c$

100

Paper Code Number: <b>4198</b>		2023 (1 <sup>st</sup> -A) INTERMEDIATE PART-II (12 <sup>th</sup> Class)		Roll No: _____	
MATHEMATICS PAPER-II GROUP-II					
TIME ALLOWED: 30 Minutes		OBJECTIVE		MAXIMUM MARKS: 20	
Q.No.1 You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill that bubble in front of that question number, on bubble sheet. Use marker or pen to fill the bubbles. Cutting or filling two or more bubbles will result in zero mark in that question.					
S.#	QUESTIONS	A	B	C	D
1	The function $f(x) = 3x^2$ has minimum value at $x =$	-1	0	1	2
2	$\int_x^\pi \sin x dx =$	0	1	2	3
3	If $y = x^3$ , then $dy =$	$3x^2$	$x^3 dx$	$3x^2 dx$	$3x dx$
4	$\int_a^b f(x) dx =$	$\int_b^a f(x) dx$	$-\int_a^b f(x) dx$	$\int_{-a}^{-b} f(x) dx$	$-\int_{-a}^{-b} f(x) dx$
5	$\int \frac{f'(x)}{f(x)} dx =$	$\ln f(x) + c$	$\ln f'(x) + c$	$\ln f(x) + c$	$\ln x + c$
6	Slope of line which is perpendicular to $y$ -axis is:	0	1	2	Undefined
7	$y$ -intercept of the line $2x + 3y - 5 = 0$ is:	$\frac{2}{3}$	$\frac{5}{2}$	$\frac{3}{5}$	$\frac{5}{3}$
8	The point of intersection of medians of a triangle is called:	Incentre	Centroid	Circumcentre	Orthocenter
9	$(0, 1)$ is the solution of inequality:	$x - 3y > 0$	$x - 2y > 0$	$x + y > 0$	$x < 0$
10	The end points of minor axis of the ellipse are called its:	Vertices	Co-vertices	Foci	Eccentricity
11	The length of latus rectum of parabola $y^2 = -8x$ is:	8	-4	4	8
12	The vertex of the parabola $(x - 1)^2 = 8(y + 2)$ is:	$(-1, 2)$	$(1, -2)$	$(-1, -2)$	$(1, 2)$
13	The length of diameter of the circle $x^2 + y^2 = 16$ is:	4	6	8	16
14	$\vec{u} \times (\vec{v} \cdot \vec{w})$ is:	Scalar product	Vector product	Inner product	Meaningless
15	The value of $[\hat{i} \hat{j} \hat{k}] =$	-1	0	1	2
16	$\lim_{x \rightarrow -\infty} (e^x) =$	$-\infty$	0	1	$+\infty$
17	$f(x) = \sin x$ is:	Odd function	Even function	Constant function	Linear function
18	If $y = x + \frac{1}{x}$ , then $\frac{dy}{dx} =$	$1 - \frac{1}{x}$	$\frac{1}{x} - 1$	$1 - \frac{1}{x^2}$	$\frac{1}{x^2} - 1$
19	If $y = \sinh^{-1} x$ , then $\frac{dy}{dx} =$	$\frac{1}{\sqrt{x^2 + 1}}$	$\frac{1}{\sqrt{x^2 - 1}}$	$\frac{-1}{\sqrt{x^2 + 1}}$	$\frac{-1}{\sqrt{x^2 - 1}}$
20	Derivative of $\cos x$ w.r.t. $\cos x$ is:	$-\sin x$	$\sin x$	0	1